



NOTE: TEST POINT CONDITIONS:
 120 VAC LINE. 16 OHM LOAD
 GAIN @ '5', ALL OTHER CONTROLS @ '10'
 EXCEPT REVERB @ '0', BOOST ON
 7.5mVrms INPUT SIGNAL @ 400HZ.

CAUTION:
 THIS SCHEMATIC IS PROVIDED FOR USE BY QUALIFIED PERSONNEL.
 TO AVOID RISK OF ELECTRIC SHOCK, REFER SERVICING TO QUALIFIED
 SERVICE PERSONNEL. DO NOT PERFORM ANY SERVICING BEYOND
 THAT EXPLAINED IN THE OPERATING INSTRUCTIONS.

NOTES:
 1) CAUTION: SHOCK HAZARD!!
 THIS UNIT CONTAINS HAZARDOUS VOLTAGE. DISCONNECT POWER
 AND BE SURE POWER SUPPLY IS DISCHARGED BEFORE
 TOUCHING INTERNAL PARTS.
 2) UNLESS NOTED, RESISTOR VALUES IN OHMS, 1/4W-5% TOL.
 CAPACITOR VALUES IN MICROFARADS, 50V-10% TOL.
 3) VOLTAGES ARE MEASURED WITH 1 MEGOHM OSCILLOSCOPE
 AND 10 MEGOHM DIGITAL VOLTMETER.

Power Table			
RefDes	+14.7V	-14.7V	
IC1	8	4	

ASSY PART # 07-563-01

-	-	-	-	-	-	
A	12/11/03	INITIAL ISSUE				
REV	Date	DESCRIPTION	Ecr(s)/Ecn(s)	Chgd By	Appvd by	Date
THE INFORMATION CONTAINED ON THIS DRAWING IS PROPRIETARY TO ST. LOUIS MUSIC, INC.						
Signatures:		Date:		 11880 Borman Drive, St. Louis, MO 63146		
Drawn: REM		4/24/01				
Checked:		Released:		First Used On:		
Plot Date: Mon Dec 15, 2003		Drawing Size: C		Drawing Title:		
Plot Time: 08:25:01		Drawing Type: Schematic		PWA - TUBE GUITAR AMP		
Tolerance:		Class Code: NONE		Drawing Number:		
Sheet 1 of 1				07S563		